



L&R Manufacturing Company

577 Elm Street, P.O. Box 607, Kearny, New Jersey 07032-0607 USA

Phone: 201-991-5330, Fax: 201-991-5870

E-mail: info@LRultrasonics.com, www.LRultrasonics.com

RELOADING SHELLS

Increasing cost of factory-loaded handgun and rifle shells makes it more economical than ever before to reload your own ammunition. The problem of cleaning out burnt carbon and contaminants that are left in the spent shell has now been solved with an L&R Ultrasonic Cleaning System. This revolutionary solutions contains no acid and will not harm the shell.

Reload your ammo for improved performance and better accuracy. A must for precision shooting and match competition. Simply-

1. Place shells one layer deep in Basket. Avoid putting one shell on top of another.
2. Place Basket in tank that contains properly diluted Safety Ultrasonic Weapon Cleaning Solution, 1:10 dilution, making sure shells are completely covered with solution.
3. Make certain air is not trapped inside the shell.
4. Cover the tank and cavitate for 7-10 minutes.
5. Remove Basket or Pan and rinse shells well under running tap water.
6. Place shells on toweling and let dry.

Notes: a. Nickel and brass shells should be cleaned separately. Your brass and nickel shells will emerge clean and bright, inside and out.

EQUIPMENT NEEDED:

Machines, Accessories*: Q140, 2014 or S140 Ultrasonic Cleaning System with Timer and Optional Heater** for use with Safety Ultrasonic Weapon Cleaning Solution; Basket; Auxiliary Pan.

Solutions: Safety Ultrasonic Weapon Cleaning Solution (Product Code 215)

*Recommended Ultrasonic Cleaning System varies as to internal tank dimensions and volume of required cleaning.

**Heater not available on Model 2014

APPLICATION BULLETIN #35