



SAFETY DATA SHEET

1. Identification of Substance and Manufacturer:

Aqualar Cleaning Solution Concentrate PCN: 203, 247

Use: Ultrasonic Cleaning Solution.

Manufacturer: L&R Manufacturing Company, 577 Elm Street, P.O. Box 607 Kearny, NJ 07032-0607 USA.

Publication Date: 9/23/2014

REV: J

Product information call 201-991-5330 www.lrultrasonics.com

For emergencies involving a spill, leak fire or accident contact CHEMTREC 800-424-9300 with the United States. Or (01) 703-527-3887 (USA) for International collect calls.

2. HAZARDS IDENTIFICATION



WARNING! FLAMMABLE LIQUID, CORROSIVES, IRRITANT, HARMFUL IF SWALLOWED.

Acute Eyes: Direct contact causes irritation, redness and possible tearing.

Acute Skin: Prolonged or repeated contact causes redness, and drying of the skin.

Acute Inhalation: Breathing high concentrations of vapors or mists will cause irritation to respiratory tract.

Acute Ingestion: Not known, but expected to cause irritation to the gastrointestinal tract, characterized by nausea, diarrhea, vomiting, and abdominal pains.

Chronic Effects: This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogen.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage
WATER	7732-18-5	50 - 70
ISOPROPYL ALCOHOL	67-63-0	1 - 5
DISODIUM COCOAMPHODIACETATE	68650-39-5	20 - 30
SODIUM HYDROXIDE	1310-73-2	1 - 3

4. FIRST AID MEASURES

Eye Exposure: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

Skin Exposure: Wash thoroughly with water. If irritation or redness develops, seek medical attention.

Inhalation: If respiratory irritation or distress occurs, move victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

Ingestion: Seek immediate medical attention. DO NOT INDUCE VOMITING.

MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE: Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

FIRE HAZARD DATA:

Suitable Extinguishing Media: Extinguish with dry chemical, CO₂ or a BC/ABC extinguisher.

Special Fire Fighting Procedures: None known

Unusual Fire and Explosion Hazards: Product will burn under fire conditions. Closed containers may explode due to build up of pressure when exposed to extreme heat.

Hazardous Decomposition Materials: (under fire conditions) Oxides of nitrogen and carbon.

6. ACCIDENTAL RELEASE MEASURES

Cleanup and Disposal of Spill: Ventilate area of spill. Use non-reactive material to pick up spill. Dispose of in accordance with local, state and federal regulations.

Environmental and Regulatory Reporting: Not required

7. HANDLING AND STORAGE

Minimum/Maximum Storage Temperatures: 39 to 120^oF. Protect from freezing. Freezing will NOT damage the product.

Product may be thawed in warm water and then mixed to assure homogeneity.

HANDLING: AVOID CONTACT WITH SKIN, EYES OR CLOTHING

8. EXPOSURE CONTROL/PERSONAL PROTECTION

General: These recommendations provide general guidance for handling of this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. When developing safe handling procedures, do not overlook the need to clean and dispose of the material. Waste resulting from the use of this product should be handled in accordance with Section 13: Disposal Considerations.

Exposure Guidelines: Exposure limits are recommended worker breathing limits. The following limits apply to this material:

INGREDIENTS

LIMITS

INGREDIENTS

LIMITS

Isopropyl Alcohol 400 PPM OSHA/ AACGIH TWA Disodium Cocoamphodiacetate None established
Sodium Hydroxide 2 mg/ M³ OSHA/PEL

Engineering Controls: Normal room ventilation.

Respiratory Controls: For reasonable uses of this material, respiratory protection should not be necessary.

Eye/Face Protection: Safety glasses to protect from splashing.

Skin Protection: Rubber or plastic gloves to avoid drying and irritation to the skin.

Work Practice Control: Normal hygiene in the work area should be taken when working with or handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Clear Liquid

pH: 13 + (as concentrate)

Water Solubility: Soluble

Freezing Point Range: < 32o F

Vapor Pressure: Not established

Flash Point: 109 – 111 °F (42.8 °C)

Flammability limits (vol/vol %): Lower: No Data Upper: No Data

Percent volatile by volume: 70 – 80% as water **V.O.C. (calculated):** 0.43 lb / gal or 53.5 grams / L

Color: Pale Amber

Specific Gravity: 1.06 to 1.07

Melting Point Range: Not available

Boiling Point: 210- 212 ° F

Vapor Density: Not established

Method: Tag Closed Cup

Odor: Detergent Like Odor

Odor Threshold: Not available

Evaporation Rate: Not Applicable

Partition Coefficient; n-octanol / water: Not available

Decomposition Temperature: Not available

Auto Ignition Temperature: Not available

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to be avoided: Heat and open flame

Materials/Chemicals to be avoided: Strong acids, strong oxidizing agents, aluminum.

Decomposition Type: Thermal: Oxides of Carbon and Nitrogen

Possibility of Hazardous Reactions: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Acute Eye Irritation: Irritating to eyes.

Acute Skin Irritation: No test data found for product.

Acute Dermal Toxicity: No test data found for product.

Acute Respiratory Irritation: No test data found for product.

Acute Inhalation Toxicity: No test data found for product.

Acute Oral Toxicity: LD50 (rat) = > 5 g/kg for disodium cocoamphodiacetate

LD50(rat) = 3600 mg/kg for iSopropyl alcohol

LD50(mouse) = 40 mg/kg. For sodium hydroxide

Chronic Toxicity: This product does not contain any substances that are considered by OSHA, NTP, IARC OR

ACGIH to be a probable or suspected human carcinogen. No additional test data was found for this product.

12. ECOLOGICAL INFORMATION

Ecotoxicological Information: No data found.

13. DISPOSAL CONSIDERATIONS

This product can be disposed in sanitary sewer system, with dilution, where permitted by local, federal and state regulations.

14. TRANSPORTATION INFORMATION

For approved domestic ground shippers product is classified as: ORM-D, for containers of one gallon or less shipped by domestic ground transportation.

For all other shippers, containers over one gallon and for export: Flammable liquids, corrosive n.o.s.(Contains Isopropanol, sodium hydroxide) 3, 8 ,UN 2924, PG III. Do not stack cartons more than five high.

15. REGULATORY INFORMATION

Inventory Issues: All components of this product are listed on the U.S. TSCA, Canadian DSL, European EINECS/ELINS chemical listings

National Fire Protection Association

Hazard Rating, NFPA

Health Flammability

Reactivity

Special

2

2

0

--

MSDS CHANGES

REV

DATE

DESCRIPTION OF CHANGE

I

2./19/13

Reviewed / Updated

J

9/23/14

SDS Format

Disclaimer: The information herein is given in good faith but no warranty expressed or implied is made. This SDS has been prepared by L&R Manufacturing Company.