



# MATERIAL SAFETY DATA SHEET

## HYDRO - SONIC CONCENTRATE

PCN(s) 201

Publication Date: 2/26/09

REV: H

### 1. SUPPLIER AND EMERGENCY INFORMATION Emergency Phone Numbers:

L&R Manufacturing Company  
577 Elm Street, P.O. Box 607  
Kearny, NJ 07032 - 0607 USA

Product Information  
Call: **201-991-5330**  
www.lrultrasonics.com

For emergencies involving a spill, leak,  
fire or accident contact:  
**CHEMTREC - 800-424-9300**  
within the United States or (01)703-527-3887 [USA] for  
International collect calls

### 2. HAZARDS IDENTIFICATION

**Physical appearance and odor:** Clear amber liquid with strong ammonia odor. **A:**

**WARNING STATEMENT:** Flammable Liquid

Good industrial hygiene practices should be used when handling this material.

**Acute Eyes:** Direct contact causes irritation, redness and possible tearing. Use good ventilation to minimize exposure.

**Acute Skin:** Prolonged or repeated contact causes redness, and drying of the skin.

**Acute Inhalation:** Breathing high concentrations of vapors or mists will cause irritation to the respiratory tract.

**Acute Ingestion:** Will cause irritation to the digestive tract and signs of nervous system depression

**B: POTENTIAL HEALTH EFFECTS:**

**Chronic Effects:** This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogen.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage
WATER	7732-18-5	50- 70
OLEIC ACID	112-80-0	1 - 10
PINE OIL	8002-09-3	1 - 10
2- PROPOXYETHANOL	2807-30-9	10 - 15
2-PROPANOL	67-63-0	10 - 15
AMMONIUM HYDROXIDE 25° Be	1336-21-6	20 - 30
XYLENE	1330-20-7	10 - 15
SODIUM DODECYLBENZENE SULFONATE	25155-30-0	15 - 20

### 4. FIRST AID MEASURES

**Eye Exposure:** Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

**Skin Exposure:** Wash thoroughly with water. If irritation or redness develops, seek medical attention.

**Inhalation:** If respiratory irritation or distress occurs, move victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

**Ingestion:** Seek immediate medical attention. DO NOT INDUCE VOMITING.

**MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE:** Skin contact may aggravate existing skin disease.

### 5. FIRE FIGHTING MEASURES

**FIRE HAZARD DATA:** Flammable Liquid

**Suitable Extinguishing Media:** Extinguish with dry chemical, CO<sub>2</sub> or a BC/ABC extinguisher.

**Special Fire Fighting Procedures:** Wear full protective clothing and self-contained breathing apparatus (SCBA) approved for fire fighting.

**Unusual Fire and Explosion Hazards:** Product will burn under fire conditions. Closed containers may explode due to build up of pressure when exposed to extreme heat.

**Hazardous Decomposition Materials:** (under fire condition) Oxides of carbon and ammonia vapor.

### 6. ACCIDENTAL RELEASE MEASURES

**Cleanup and Disposal of Spill:** Mop up spill and dispose of in accordance with local, state and federal regulations.

**Regulatory Reporting:** Not required

### 7. HANDLING AND STORAGE

**Minimum/Maximum Storage Temperatures:** 39 to 90° F. Protect from freezing. Freezing will NOT damage the product.

**HANDLING:** AVOID CONTACT WITH SKIN, EYES OR CLOTHING

### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

**General:** These recommendations provide general guidance for handling of this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. When developing safe handling procedures, do not overlook the need to clean and dispose of the material. Waste resulting from the use of this product should be handled in accordance with

Section 13: Disposal Considerations.

**Exposure Guidelines:** Exposure limits are recommended worker breathing limits. The following limits apply to this material:

**INGREDIENTS**

**LIMITS**

**INGREDIENTS**

**LIMITS**

Water None established  
Isopropyl Alcohol 400 PPM OSHA/ ACGIH TWA  
Ammonium Hydroxide 25° Be 50 ppm (as ammonia )  
Xylene 100 PPM OSHA/ ACGIH TWA

2-Propoxyethanol None established  
Oleic Acid None established  
Sodium Dodecylbenzene Sulfonate None established  
Pine Oil None established

**Engineering Controls:** Normal room ventilation.

**Respiratory Controls:** For reasonable uses of this material, respiratory protection should not be necessary.

**Eye/Face Protection:** Safety glasses to protect from splashing.

**Skin Protection:** Rubber or plastic gloves to avoid drying and irritation to the skin.

**Work Practice Control:** Normal hygiene in the work area should be taken when working with or handling this product.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State:** Clear Liquid

**pH:** 11 to 11.3 (as concentrate)

**Water Solubility:** Soluble

**Freezing Point Range:** < 32°F

**Vapor Pressure:** Not established

**Flash Point:** 87-89 °F (31°C) **Method:** Tag Closed Cup

**Flammability limits (vol/vol %): Lower:** No Data **Upper:** No Data

**Percent volatile by volume:** Approximately 35% by volume **V.O.C. (calculated):** 3.27 lbs./ gal or 393 grams / L

**Color:** Amber

**Specific Gravity:** 0.9

**Melting Point Range:** Not available

**Boiling Point:** Not established

**Vapor Density:** Not established

**Odor:** Strong Ammonia Odor

**Odor Threshold:** Not available

**Evaporation Rate:** Not Applicable

**Partition Coefficient; n-octanol / water:** Not available

**Decomposition Temperature:** Not available

**Auto Ignition Temperature:** Not available

**10. STABILITY AND REACTIVITY**

**Chemical Stability:** Stable

**Conditions to be avoided:** Heat and open flame

**Materials/Chemicals to be avoided:** Strong acids, strong oxidizing agents, aluminum , magnesium, zinc..

**Decomposition Type: Thermal:** Oxides of carbon and ammonia vapor.

**Possibility of Hazardous Reactions: WILL NOT OCCUR**

**11. TOXICOLOGICAL INFORMATION**

**Acute Eye Irritation:** Irritating to eyes.

**Acute Skin Irritation:** No test data found for product.

**Acute Dermal Toxicity:** No test data found for product.

**Acute Respiratory Irritation:** No test data found for product.

**Acute Inhalation Toxicity:** No test data found for product.

**Acute Oral Toxicity: LD50 (rat) = 3200 mg/kg fo Pine Oil**

**LD50( rat ) = 5045 mg/kg for isopropyl alcohol**

**LD50 (rat) = 74 gm/kg for Oleic Acid**

**LD50 (rat) = 350 mg/kg for ammonium Hydroxide**

**LD50 ( rat ) = 3089 gm/kg 2-Propoxyethanol**

**LD50 ( rat ) = 438 mg/kg for Sodium Dodecylbenzene Sulfonate**

**Chronic Toxicity:** This product does not contain any substances that are considered by OSHA, NTP, IARC OR

ACGIH to be a probable or suspected human carcinogen. No additional test data was found for this product.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicological Information:** No data found.

**13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local, state and federal regulations.

**14. TRANSPORTATION INFORMATION**

For domestic ground transport this is classified as ORM-D, for containers of 1 gallon or smaller. For larger containers the classification is Compounds, Cleaning Liquid.( Contains Isopropyl Alcohol ), class 3, NA 1993, PG III. Do not stack cartons more than five high.

**15. REGULATORY INFORMATION**

Inventory Issues: All components of this product are listed on the U.S. TSCA, Canadian DSL, European EINECS/ELINS chemical listings

**16. OTHER INFORMATION**

**National Fire Protection Association**

Hazard Rating, NFPA	Health	Flammability	Reactivity	Special
	2	3	0	--

**MSDS CHANGES**

REV	DATE	DESCRIPTION OF CHANGE
G	8/10/07	Reviewed/ changed to ANSI Z400.1-2004 format
H	2/26/09	Reviewed / deleted PCN #s

**Disclaimer:** The information herein is given in good faith but no warranty expressed or implied is made.

Prepared By: L&R Manufacturing Company

Date: 02/26/09

Product Name: **HYDRO - SONIC CONCENTRATE**